Library, N.W. Bldg
FEB 15 1965

CRPL-F 245 PART A

Reference book not to be taken from the library.

FOR OFFICIAL USE

NATIONAL BUREAU
OF STANDARDS
LIBRARY
JUN 2 9 1973

G C 5 0 1

PART A
IONOSPHERIC DATA

ISSUED JANUARY 1965

U. S. DEPARTMENT OF COMMERCE NATIONAL BUREAU OF STANDARDS CENTRAL RADIO PROPAGATION LABORATORY BOULDER, COLORADO



CRPL-F 245 PART A

NATIONAL BUREAU OF STANDARDS CENTRAL RADIO PROPAGATION LABORATORY BOULDER, COLORADO

Issued 29 Jan. 1965

IONOSPHERIC DATA

CONTENTS

			Page
Ionospheric Data			ii
Table of Smoothed Observed Zurich Sunspot Numb	ers		iii
World-Wide Sources of Ionospheric Data		•	iv
Tables and Graphs of Ionospheric Data			1
Index of Tables and Graphs of Ionospheric Data in CRPL-F245 (Part A)			51

IONOSPHERIC DATA

The CRPL-F series bulletins are issued as part of the responsibility of the Central Radio Propagation Laboratory for the exchange and distribution of ionospheric and related geophysical data. Part A, "Ionospheric Data," and Part B, "Solar-Geophysical Data," of the CRPL-F series present a variety of data collected by CRPL in the course of its research and service activities. Through the CRPL-F series, as part of the general exchange of scientific information, these data are made available for use by others in research on radio propagation and the ionosphere, and in other geophysical applications.

In the CRPL-F series, Part A, tables of monthly median values of vertical-incidence ionospheric data are presented accompanied by graphs of critical frequencies and M(3000)F2. The tables include the number of values entering into the median determination (count). When available, the upper and lower quartile values (indicated by UQ and LQ) are listed for foF2, foF1, foEs, M(3000)F2, h'F2 and h'F. Space limitations do not permit inclusion of quartile values for the other characteristics. The tables are prepared by machine methods and the graphs are plotted automatically.

The tables and graphs present the ionospheric data as received from the originating laboratory. Responsibility for the accuracy and reliability of the data rests entirely with the originator. Medians of data for the U.S. stations are computed by CRPL in accordance with the recommendations of the World-Wide Soundings Committee.

Data will appear in the F-series, Part A, only when the complete daily-hourly tabulations have been received by the CRPL or the World Data Center A for Airglow and Ionosphere. In general, priority of publication is given to the most current data. Data received too long after the month of observation may experience an indefinitely prolonged delay before finding space in the F series, Part A.

Information on symbols, terminology and conventions may be found in the "URSI Handbook of Ionogram Interpretation and Reduction of the World-Wide Soundings Committee," edited by W. R. Piggott and K. Rawer (Elsevier, 1961), which supersedes previous documents. A list of symbols is available from CRPL on request.

Units and Abbreviations of Ionospheric Data Tables

foF2, foEs - - - Tenths of a megacycle MED - Median foF1, foE - - - Hundredths of a megacycle CNT - Count h'F2, h'F, h'E - Kilometers UQ - Upper Quartile M(3000)F2 - - - Hundredths LO - Lower Quartile

Key to Points of Ionospheric Data Graphs

foF2: \times foE : \odot M(3000)F2 : \diamondsuit

foF1: A foEs: +

< Less-than value indicated. > Greater-than value indicated.

- - - Interpolated value indicated.

The following table contains the latest available information on twelve-month smoothed average of observed Zurich relative sunspot numbers, beginning with the minimum of April 1954. Final numbers are listed through June 1963, the succeeding values being based on provisional data.

Smoothed Observed Zurich Relative Sunspot Number

Month	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
1954				3	4	4	5	7	8	8.	10	12
1955	14	16	19	23	29	35	40	46	55	64	73	81
1956	89	98	109	119	127	137	146	150	151	156	160	164
1957	170	172	174	181	186	188	191	194	197	200	201	200
1958	199	201	201	197	191	187	185	185	184	182	181	180
1959	179	177	174	169	165	161	156	151	146	141	137	132
1960	129	125	122	120	117	114	109	102	98	93	88	84
1961	80	75	69	64	60	56	53	52	52	51	50	49
1962	45	42	40	39	39	38	37	35	33	31	30	30
1963	29	30	30	29	29	28	28	27	27	26	23	21
1964	19	17	15	12	10	10						

THE IONOSPHERIC DATA PRESENTED IN THE 100 TABLES AND GRAPHS OF THIS ISSUE WERE ASSEMBLED BY THE CENTRAL RADIO PROPAGATION LABORATORY FOR ANALYSIS, CORRELATION, AND DISTRIBUTION. THE FOLLOWING ARE THE SOURCES OF THE DATA.

UNIVERSIDAD MAYOR DE SAN ANDRES. LA PAZ, BOLIVIA

BRITISH DEPARTMENT OF SCIENTIFIC AND INDUSTRIAL RESEARCH,
RADIO RESEARCH BOARD.

CAPE ZEVGARI, CYPRUS

DEPARTMENT OF TRANSPORT, TELECOMMUNICATIONS AND ELECTRONIC BRANCH, CANADA
CHURCHILL, CANADA
KENORA, CANADA
OTTAWA, CANADA
RESOLUTE BAY, CANADA
ST. JOHNS, NEWFOUNDLAND

UNIVERSIDAD DE CONCEPCION.

CONCEPCION, CHILE

RADIO WAVE RESEARCH LABORATORIES, DIRECTORATE GENERAL OF TELECOMMUNICATIONS, MINISTRY OF COMMUNICATIONS, TAIPEI, HSIAN, TAIWAN, REPUBLIC OF CHINA, TAIPEI (TAIWAN), CHINA

INSTITUTO GEOFISICO DE LOS ANDES COLOMBIANOS.
BOGOTA, COLOMBIA

DANISH NATIONAL COMMITTEE OF URSI-NARSSARSSUAQ, GREENLAND

GENERAL DIRECTION OF POSTS AND TELEGRAPHS, HELSINKI, FINLAND.

NURMIJARVI, FINLAND

THE FINNISH ACADEMY OF SCIENCES AND LETTERS.
SODANKYLA. FINLAND

IONOSPHERIC RESEARCH GROUP (GRI), FRANCE.

DAKAR, SENEGAL

DJIBOUTI, FRENCH SOMALILAND

PARIS, FRANCE

POITIERS, FRANCE

TAHITI, SOCIETY IS.

TANANARIVE, MALAGASY REPUBLIC

HEINRICH HERTZ INSTITUTE, GERMAN ACADEMY OF SCIENCES, BERLIN, GERMANY.

JULIUSRUH/RUGEN, GERMANY

INSTITUTE FOR IONOSPHERIC RESEARCH, LINDAU UBER NORTHEIM, HANNOVER, GERMANY.

LINDAU/HARZ, GERMANY

IONOSPHERE INSTITUTE, NATIONAL OBSERVATORY OF ATHENS.
ATHENS (SCARAMANGA), GREECE

ICELANDIC POST AND TELEGRAPH ADMINISTRATION.

REYKJAVIK, ICELAND

INDIAN COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, RADIO RESEARCH COMMITTEE, NEW DELHI, INDIA, AHMEDABAD, INDIA (PHYSICAL RESEARCH LABORATORY)

IONOSPHERIC OBSERVATORY, INSTITUTE OF GEOPHYSICS, TEHRAN, IRAN

NATIONAL INSTITUTE OF GEOPHYSICS, CITY UNIVERSITY, ROME, ITALY.
ROME, ITALY

MINISTRY OF POSTS AND TELECOMMUNICATIONS, RADIO RESEARCH LABORATORIES, TOKYO, JAPAN.

AKITA, JAPAN KOKUBUNJI, TOKYO, JAPAN WAKKANAI, JAPAN YAMAGAWA, JAPAN

GENERAL DIRECTORATE OF TELECOMMUNICATIONS, MEXICO.
EL CERILLO, MEXICO

THE ROYAL NETHERLANDS METEOROLOGICAL INSTITUTE.

DE BILT, NETHERLANDS

CHRISTCHURCH GEOPHYSICAL OBSERVATORY, NEW ZEALAND DEPARTMENT OF SCIENTIFIC AND INDUSTRIAL RESEARCH.

GODLEY HEAD (CHRISTCHURCH), N.Z.

NORWEGIAN DEFENCE RESEARCH ESTABLISHMENT, KJELLER PER LILLESTROM, NORWAY. TROMSO, NORWAY

INSTITUTE OF TELECOMMUNICATION, WARSAW, POLAND, WARSAW (MIEDZESZYN), POLAND,

RESEARCH INSTITUTE OF NATIONAL DEFENCE, STOCKHOLM, SWEDEN.
KIRUNA, SWEDEN
LYCKSELE, SWEDEN
UPPSALA, SWEDEN

POST, TELEPHONE AND TELEGRAPH ADMINISTRATION, BERNE, SWITZERLAND.

SOTTENS, SWITZERLAND

UNITED STATES ARMY SIGNAL CORPS., UNITED STATES OF AMERICA.


ADAK, ALASKA
FT. MONMOUTH, NEW JERSEY
GRAND BAHAMA I.


OKINAWA I.


THULE, GREENLAND
WHITE SANDS, NEW MEXICO


NATIONAL BUREAU OF STANDARDS, UNITED STATES OF AMERICA. (CENTRAL RADIO PROPAGATION LABORATORY).


ANCHORAGE, ALASKA
BARROW, ALASKA
BOULDER, COLORADO
BYRD STATION, ANTARCTICA
FT. BELVOIR, VIRGINIA
HUANCAYO, PERU (INSTITUTO GEOFISICO DEL PERU)
MAUI, HAWAII
POLE STATION, ANTARCTICA
































































^{*} Heights are about 8 km too high



































































* All heights are about 10 km. too high, All muf factors are from 0.05 to 0.10 too low
























































^{*} All MUT values are umreliable


	INCEPO	10N					-																							-					
	ILE				LAT	. 36	.65	L	ONG.	. 73	.OW		SH	EEP	0.2	MC.	TO	20.0	MC	IN	13	O SEC		LINE	75.	• 0 M		6407		CONC	EPC	NOI		75.0	W
	JULY HR.	_				т-	-	-						-	1	_	_	_	1			T	I -	-	-	_	}		, , , ,	1	-	1 1		7-1-1	٦.
CHAR.		00	01	02	03	04			06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	4.0	-							1 6
	MED	22	22	23	2.3	26	. 20		17	31	40	44	47	50	50	55	. 55	61	55	49	36	33	31	27	24	22	_		1			- مر	-0.	1] 8
oF2	ÇNT	28	29	26	. 26	26	28	3 2	26	29	30	31	30	30	30	29	31	31	31	30	30	29	.29	29	28	29	3.0				-		1.	A	(0000)W
01 2	U_Q	25	25_	25						33	44	47	50	55	.55	58	65	68	59	53	46	37	34	. 30	28	24	5.0	-		ĺ					7 2
00	L O	20 20	. 20	19	. 21		17		15	29	39	42	44	47	48	50	52	53	50	42	33	29	21	23	22	20									1
	MEO							-	_				-	-	395	370	1				ļ.,	-		-	, _	-	2.0	-	-	-	+		-	+	2.0
foF1	ENT							+			-			2	- 10	7	1	-			-	-		-				-							-
011	U 0						-	4							400	390			ļ.,				_	L .				-							-
10	L O				_			_					0		390 0 A			-	<u> </u>		-		ļ												
fοE	MEO										190	240					260	240	200] 7
20	CNT		ш							_	25	16	16	14	15	10	12	18	5				L.												3
		22	. 26	22	24	22	. 22	2 . :	24	20	24	31	32	37	38	36	34	33	28	. 30	31	23	23	28	22	26	15		<u> </u>	1					CRITICAL FREQUENCY (6) IN
oEs	CNE	10	. 18	15	13	16	. 14		5	13	30	31	31	30	30	30	31	31	28	25	21	. 20	19	15	14	16		-			i				- 5
	U_ Q	32	_30	29	28	26	27	7	35	24	26	33	3.5	47	49	43	45	40	32	41	. 40	. 35	30	38	. 40	. 34		-							- 3
30	1.4	19	22	19	22	19	21	Ų.	18	18	22	29	30	. 33	31	30	29	27	24	20	22	21	22	25.	21	22		-							- 1
Μ.	MED	300	300	310	320	360	375	5 .3	28 3	360	375	370	365	3.65	355	350	345	360	360	358	340	320	335	.325	320	305				ĺ] 1
3000	CNT	28	28	25	26	26	26	5	14	29	30	31	. 30	. 29	29	. 28	31	31	31	30	29	29	29	28	2.7	27									
F2	υų	305	308	318	330	370	385	5 3	55 3	370	380	380	380	378	370	362	360	375	370	370	360	342	350	340	330	320	10								
03	L Q	292	295	300	315	340	350	2 3	15 3	350	370	360	355	340	340	340	335	350	345	340	322	310	325	310	305	300		-							1 5
						-	-					-							-									-							- 2
n'F2		-				-									-													-							-
															-													L				<i>(</i>)			
04										-													-			-	5				_/	-/			_5
h'E*	MED					-				-	129	120	119	119	119	119	12,0	129	132								3			1			Ì		
24	CNT	-				-		_			21	30	31	30	30	25	22	18	6											/ /	J	A-+-+	1		7
		-			4	-				-							1		-			-						L.	1	1		S	-+	1	-
h'F		-					÷				-								-				-						イング	1700		~	+	VDK,	-
						-					-								-									-							-
16 HAR	_					+-						-	-		-	-	+	-	-					-				ببيا					ببيا		
	HR.	00	01	02	03	04	4 03	5 (06	07	08	09	10	-11	12	13	14	15	16	17	18	19	20	21	22	23		00	04	80	12		16	20	00


^{*} Heights are about 10 km too high MUF factors are from 0.05 to 0.10 too low











































































































				PAGE
ADAK	ALASKA	1964 1964		25 15
AHMEDABAD	INDIA	1964 1964		35 29
AKITA	JAPAN	1964 1964		27 16
ANCHORAGE	ALASKA	1964 1964 1964	JULY AUG• SEPT•	24 14 6
ATHENS	GREECE	1964 1964		17 9
BARROW	ALASKA	1964 1964	JULY AUG.	23 12
BOGOTA	COLOMBIA	1964 1964	JULY AUG•	30 21
BOULDER	COLORADO	1964	NOV.	1
BYRD STATION	ANTARCTICA	1963	DEC.	50
CAPE ZEVGARI	CYPRUS	1964 1964 1964	APR. MAY JUNE	41 38 34
CHURCHILL	CANADA	1964	SEPT.	7
CONCEPCION	CHILE	1964 1964 1964 1964	AUG.	35 32 22 11
DAKAR	SENEGAL	1964 1964	JAN. FEB.	48 45
DE BILT	NETHERLANDS	1964 1964 1964	APR. MAY JUNE	39 36 33
DJIBOUTI	FRENCH SOMALILAND	1964	JAN.	48
EL CERILLO	MEXICO	1964 1964 1964 1964 1964	JAN. FEB. MAR. APR. MAY	47 44 42 42 38
FT. BELVOIR	VIRGINIA	1964	OCT•	4
FT. MONMOUTH	NEW JERSEY	1964 1964	JULY AUG.	26 16
GODLEY HEAD	NEW ZEALAND	1964	SEPT.	11
GRAND BAHAMA I.		1964 1964	JULY AUG.	28 19
HUANCAYO	PERU	1964 1964	JULY AUG.	31 21
JUL IUSRUH/RUGEN	GERMANY	1964 1964	MAY JUNE	36 32
KENORA	CANADA	1964	SEPT.	7
KIRUNA	SWEDEN	1964 1964	SEPT.	5 1
KOKUBUNJI	JAPAN	1964 1964	JULY AUG.	27 17

				PAGE
LA PAZ	BOLIVIA	1964 1964	MAY JULY	39 31
LINDAU/HARZ	GERMANY	1964 1964	APR.	40 37
LYCKSELE	SWEDEN	1964 1964	SEPT.	5 2
MAUI	HAWAII	1964 1964	JULY AUG.	30 20
NARSSARSSUAQ	GREENLAND	1964 1964	JULY AUG•	24 14
NURMIJARVI	FINLAND	1964	OCT.	3
OKINAWA I.		1964 1964 1964	JULY AUG. SEPT.	29 19 10
OTTAWA	CANADA	1964	SEPT.	8
PARIS	FRANCE	1964 1964	JAN. FEB.	46 44
POITIERS	FRANCE	1964	JAN.	47
POLE STATION	ANTARCTICA	1963	FEB.	50
RESOLUTE BAY	CANADA	1964	SEPT.	4
REYKJAVIK	ICELAND	1964 1964	JULY AUG•	23 13
ROME	ITALY	1964	SEPT.	9
SODANKYLA	FINLAND	1964	ост.	2
SOTTENS	SWITZERLAND	1964	APR.	40
ST JOHNS	NEWFOUNDLAND	1964	SEPT.	8
ITIHAT	SOCIETY I.	1964 1964 1964	JAN. FEB. MAR.	49 45 43
TAIPEI	CHINA	1964	AUG.	20
TANANARIVE	MALAGASY REPUBLIC	1964 1964 1964	JAN. FEB. MAR.	49 46 43
TEHRAN	IRAN	1964	APR. MAY JUNE	41 37 34
THULE	GREENLAND	1964 1964	JULY AUG•	22 12
TROMSO	NORWAY	1964	AUG.	13
UPPSALA	SWEDEN	1964 1964	SEPT. OCT.	6 3
WAKKANAI	JAPAN	1964 1964	JULY AUG.	26 15
WARSAW	POLAND	1964 1964	JULY	33 25
WHITE SANDS	NEW MEXICO	1964 1964	AUG. SEPT.	18 10
YAMAGAWA	JAPAN		JULY AUG.	28 18

CRPL REPORTS

(A detailed list of CRPL publications is available from the Central Radio Propagation Laboratory on request.)

Catalog of Data.

A catalog of records and data on file at the U.S. IGY World Data Center A for Airglow and Ionosphere, Boulder Laboratories, National Bureau of Standards, Boulder, Colorado, which includes a fee schedule to cover the cost of supplying copies, is available upon request.

CRPL-F (Part A), "Ionospheric Data."
CRPL-F (Part B), "Solar Geophysical Data."

These monthly bulletins have limited distribution and are sent, in general, only to those individuals and scientific organizations that collaborate in the exchange of ionospheric, solar, geomagnetic, or other radio propagation data of interest to the CRPL. Others may purchase copies of the same data from the U.S. IGY World Data Center A for Airglow and Ionosphere, National Bureau of Standards, Boulder, Colorado.

"Ionospheric Predictions."

This series of publications is issued monthly, three months in advance, as an aid in determining the best sky-wave frequencies for high frequency communications over any transmission path, at any time of day for average conditions for the month.

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C. Price 15 cents. Annual subscription (12 issues) \$1.50 (50 cents additional for foreign mailing). (NOTE: Tested sets of punched cards of the predicted numerical

coefficients of numerical maps of the Ionospheric Predictions, for use with electronic computers, may be purchased by arrangement with the Prediction Services Section, CRPL, Boulder Laboratories, Boulder, Colorado.)

National Bureau of Standards Handbook 90, "Handbook for CRPL Ionospheric Predictions Based on Numerical Methods of Mapping." Price 40 cents.

National Bureau of Standards Circular 462, "Ionospheric Radio Propagation." Price \$1.25.

NBS Handbook 90 and NBS Circular 462 for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D. C.